

TUFFTEX QUARTZ PRIMER



TUFFTEX QUARTZ PRIMER is a tintable 100% acrylic water-based primer used in the TUFFTEX Specialty Finishes range including Polished Plaster and Venetian Plaster.

- 100% acrylic & water based
- Tintable
- Penetrates substrate surfaces
- Easy application and clean up.
- Supports adhesion & extends durability of TUFFTEX coatings
- Extends spread rate of TUFFTEX Specialty Finishes and Acrylic Texture Coatings.

Suitable Substrates

- MDF
- CFC
- Textured and Painted substrates
- Plaster Board
- Cement Renders
- Concrete

SUBSTRATE CONDITION

All substrate surfaces must be :

- clean, dry, cured and free of any grease, oil, mould, dirt, dust or other contaminants.
- free from efflorescence, release agents or bond-breakers that may interfere with adhesion.
- pre-painted surfaces must be wire brushed or high-pressure water blasted to remove loose and cracking paint.

Any loose or damaged substrate must be removed or patched & repaired and any moisture levels in cementitious substrates must be below 13% prior to applying TUFFTEX Quartz Primer.

Pre-painted surfaces must be wire brushed or high-pressure water blasted to successfully remove loose, cracked/cracking or oxidised paint.

APPLICATION

Can be applied using brush, roller or can be sprayed

Sizes: 5 or 15Ltr Tubs

WEATHER CONDITION

If temperatures are less than 8 °C or greater than 35°C, TUFFTEX QUARTZ PRIMER is not recommended to be applied to the substrate.

DO NOT APPLY IF - relative humidity is above 85%

DO NOT APPLY IF - temperate is within 3C of dew point.

Freshly applied TUFFTEX QUARTZ PRIMER must be protected from rain, other sources of moisture and frosts for at least 24 hours.

COVERAGE	<i>Approximately 50-60m2</i>
WET FILM THICKNESS	<i>130 microns (approx)</i>
DRY FILM THICKNESS	<i>50 microns (approx)</i>
SHELF LIFE	<i>12-24 months</i>
PRODUCT SAFETY	<i>See SDS</i>
PACKAGE SIZES (contents)	<i>5 or 15 Litre tubs</i>

CLEAN UP

Wash with water only.

TUFFTEX QUARTZ PRIMER is classified as non-hazardous according to the criteria of NOHSC. Not classified as dangerous goods according to the Australian Code for Transport of Dangerous Goods. **NON DANGEROUS GOODS.**

This information contained herein relates only to the specific material identified. TUFFTEX believes that such information is accurate and reliable as of the date of this Technical Data Sheet, but no representation, guarantee or warranty, expressed or implied, is made to the accuracy, reliability, or completeness of the information. TUFFTEX urges persons receiving this information to make their own determination as to the information's suitability and completeness for their application.

www.tufftex.com.au

08 9248 8788

contact@tufftex.com.au

3 Hunt St, Malaga WA 6090

